



ENFORCER Products
A Division of Acuity Specialty Products
Group, Inc.
P.O. Box 1060
Cartersville, GA 30120
1-888-805-HELP
www.zepcommercial.com

Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Multi-Purpose Cleaner & Degreaser Concentrate
Product Code HDAP128 CNAP128
Date of issue 12/13/04 **Supersedes** 03/20/02

Emergency Telephone Numbers

For MSDS Information:

Compliance Services (404) 352-1680

For a Medical Emergency:

INFOTRAC

(877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:

CHEMTREC

(800) 424-9300 (Toll Free - Calls Recorded)

Printing Date:

Prepared by

Compliance Services Group
Acuity Specialty Products Group
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1 - 5	ACGIH TLV (United States). TWA: 20 ppm 8 hour(s). OSHA PEL (United States). Skin TWA: 50 ppm 8 hour(s). Not established
DIPROPYLENE GLYCOL N-BUTYL ETHER; 1-(2-butoxy-1-methoxy)- 2-propanol; glycol ether dpnb	29911-28-2	1 - 5	Not established
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE; ethylenediamine tetraacetic acid; tetrasodium salt	64-02-8	1 - 5	Not established

Section 3. Hazards Identification

HMIS

Acute Effects

Routes of Entry Dermal contact. Eye contact. Inhalation.

Skin Hazardous in case of skin contact (irritant, permeator). Harmful if absorbed through the skin. Direct contact may cause irritation and redness.

Eyes Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching.

Inhalation Hazardous in case of inhalation. Avoid breathing vapors or spray mists. Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression.

Ingestion Harmful if swallowed.

Health	2
Fire Hazard	0
Reactivity	0
Personal Protection	B

Carcinogenic Effects

Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Chronic Effects

The substance may be toxic to blood, kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS). Inhalation or absorption of spray mists or vapors may cause central nervous system depression characterized by headache, dizziness, nausea, stupor, weakness and/or numbness and tingling in the extremities (medical term - peripheral neuropathy). Repeated or prolonged exposure to the substance can produce target organs damage.


See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point	Closed cup: 70.55°C (159°F).	Flammable Limits	Not applicable.
Flammability	Not applicable.		
Fire Hazard	Not applicable.		
Fire-Fighting Procedures	Use an extinguishing agent suitable for surrounding fires. Fire-fighters should wear proper protective equipment.		

**Section 6. Accidental Release Measures**

Spill Clean up	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
-----------------------	--

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling. Do not reuse product container.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection**Personal Protection****Protective Clothing (Pictograms)**

Eyes	Safety glasses.
Body	Gloves. Recommended: Rubber gloves. Neoprene gloves. Nitrile gloves.



Respiratory A respirator is not needed under normal and intended conditions of product use.

Section 9. Physical and Chemical Properties

Physical State	Liquid.	Color	Purple.
pH	12.5 - 13.0	Odor	Glycol. (Slight.)
Boiling Point	100°C (212°F)	Vapor Pressure	Not determined.
Specific Gravity	1.06 (Water = 1)	Vapor Density	Not determined.
Solubility	Easily soluble in cold water, hot water.	Evaporation Rate	>1 compared to Butyl acetate.
		VOC (Consumer)	52.91 (g/l). 0.44lbs/gal 5.00%

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	Slightly reactive to reactive with oxidizing agents, acids.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	carbon oxides (CO, CO ₂)

Section 11. Toxicological Information

Toxicity to Animals	Ethylene Glycol Monobutyl Ether:	
	ORAL (LD50):	Acute: 1746 mg/kg [Rat].
	DERMAL (LD50):	Acute: 680 mg/kg [Rabbit].
	VAPOR (LC50):	Acute: 450 ppm 4 hour(s) [Rat (Female)].
	Tetrasodium Ethylenediamine Tetraacetate :	
	ORAL (LD50):	Acute: 4100 mg/kg [Rat].

Section 12. Ecological Information

Ecotoxicity	Not available.
Biodegradable/OECD	Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Code: D002
Classification: Hazardous (Corrosivity)
Origin: RCRA

Consult your local or regional authorities.

Section 14. Transport Information

Proper shipping name Not applicable.
DOT Classification Not a DOT controlled material (United States).
UN number Not applicable.

TDG Classification Not a TDG controlled material.

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

Ethylene Glycol Monobutyl Ether
Clean Water Act (CWA) 311: No products were found.
Clean air act (CAA) 112 regulated toxic substances: Ethylene Glycol Monobutyl Ether

State Regulations California prop. 65: No products were found.

WHMIS (Canada) Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
Class D-1B: Material causing immediate and serious toxic effects (TOXIC).
Class D-2B: Material causing other toxic effects (TOXIC).
Class E: Corrosive liquid.

Section 16. Other Information

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.
Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.
Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*